UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/589,531	11/07/2006	Dick Broer	BHD-5256-9	8712
23117 NIXON & VA	7590 10/20/200 NDERHYE. PC	EXAMINER		
901 NORTH G	LEBE ROAD, 11TH F	ANGADI, MAKI A		
ARLINGTON, VA 22203			ART UNIT	PAPER NUMBER
			1792	
			MAIL DATE	DELIVERY MODE
			10/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/589,531	BROER ET AL.			
Office Action Summary	Examiner	Art Unit			
	MAKI A. ANGADI	1792			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on <u>07 No</u>	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-27 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav 5) Claim(s) is/are allowed. 6) Claim(s) 1-19,21 and 23-27 is/are rejected. 7) Claim(s) 20 and 22 is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction.	vn from consideration. relection requirement. r. epted or b) □ objected to by the Edrawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 8/16/2006.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te			

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

A broad range or limitation together with a narrow range or limitation that falls within the broad range or limitation (in the same claim) is considered indefinite, since the resulting claim does not clearly set forth the metes and bounds of the patent protection desired. See MPEP § 2173.05(c). Note the explanation given by the Board of Patent Appeals and Interferences in *Ex parte Wu*, 10 USPQ2d 2031, 2033 (Bd. Pat. App. & Inter. 1989), as to where broad language is followed by "such as" and then narrow language. The Board stated that this can render a claim indefinite by raising a question or doubt as to whether the feature introduced by such language is (a) merely exemplary of the remainder of the claim, and therefore not required, or (b) a required feature of the claims. Note also, for example, the decisions of *Ex parte Steigewald*, 131 USPQ 74 (Bd. App. 1961); *Ex parte Hall*, 83 USPQ 38 (Bd. App. 1948); and *Ex parte Hasche*, 86 USPQ 481 (Bd. App. 1949).

In the present instance, claim 20 recites the broad recitation of the maximum absolute value of the curvature is at least $0.35~\mu m^-1$ and the claim also recites $0.45~\mu m^-1$ and $0.65~\mu m^-1$ which is the broader statement of the range/limitation.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1-5, 7-9, 11-12, 14-15, 17-18 and 23-24 are rejected under 35 U.S.C. 103(a) over Goff et al. (US Patent No. 4,329,419) in view of Minamizaki (US Patent No. 6,030,662).

As to claims 1-3, 5, 11, 17, 18 and 23-24, Goff discloses a method that reads on the process of preparing polymeric relief structure (col.1, lines 38-40) that comprises: (a) coating a substrate with a coating composition that includes radiation-sensitive ingredients (0.5-15 wt%) (polymerizable poly-functional

acrylate compounds) (col.1, lines 43-45, lines 56-68 and col.2, lines 1-7); (b) locally treating the coated substrate with electromagnetic radiation (col.3, lines 60-63) having a periodic radiation-intensity pattern, forming a latent image (col.4, lines 1-3), at temperature of about 30-400°C (col.3, lines 53-66); (c) photopolymerizing the resulting coated substrate on exposure to radiation (col.1, lines 43-55).

Goff does not expressly disclose that the resulting process for producing polymeric relief structure reduces the interfacial tension of the coated substrate. However, Minamizaki discloses a treatment method that leads to reduction in surface energy of the substrate surface (col.2, lines 62-65) and through crosslinking reaction by heating or irradiating the substrate coated with radiation sensitive ingredients (col.1, lines 57-64).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to reduce the interfacial tension of the substrate because Minamizaki illustrates that the reduction of the surface energy of the substrate leads excellent release property, water repellency, oil repellency of the treated substrates (col.1, lines 5-8).

As to claims 4, 14 and 15, Golf discloses that the radiation sensitive ingredients include monomers (hydroxy alkyl acrylates and methacrylates) and polymerization initiators (polymide ester resins, col.3, lines 10-36) and polymer dissolved in monomer (col.1, lines 51-67).

As to claim 7, Golf discloses the process of coating of a solid film after evaporation of the volatile solvent (col.3, lines 64-67 and col.4, lines 1-3).

As to claims 8 and 9, Golf discloses the use of mask (col.4, line 7) and UV radiation (col.3, lines 60-63) for the fabrication of relief structure.

As to claim 12, Golf discloses the polymer coating with a molecular weight in the range of about 5000-75,000 g/mol (col.3, lines 30-36).

Claim Rejections - 35 USC § 103

3. Claim 6 is rejected under 35 U.S.C. 103(a) over Goff et al. (US Patent No. 4,329,419) in view of Minamizaki (US Patent No. 6,030,662) as applied to claim 1, in further view of Summersgill et al. (US Patent No. 6,671,095).

Golf discloses the use of photo-initiator (col.2, lines 35-37) but is silent about the use of thermal initiator in the fabrication of relief structures. However, Summersgill discloses the use of photo-initiators and thermal initiators (col.7, lines 11-16) in the fabrication of relief structures. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to include photo-initiators and thermal initiators in the fabrication process employed by Golf because Summersgill illustrates that photo-initiators and thermal initiators facilitate the curing of the resin (col.7, lines 4-8).

Application/Control Number: 10/589,531 Page 6

Art Unit: 1792

Claim Rejections - 35 USC § 103

4. Claims 13 and 16 is rejected under 35 U.S.C. 103(a) over Goff et al. (US

Patent No. 4,329,419) in view of Minamizaki (US Patent No. 6,030,662) as

applied to claim 1 and 5, in further view of Fryer et al. Macromolecules, Vol.34,

(2001) pages 5627-5634.

Goff is silent about the glass transition temperature of the polymer.

However, Fryer discloses the glass transition temperature (T_g) of about 110°C

(483K) for PMMA in the formation polymeric relief structure (page 5631, Fig.2-3,

paragraph 2) and interfacial tension of about 500-2000 mJ/cm² (Fig.4, page

5632). Therefore, it would have been obvious to one of ordinary skill in the art at

the time of the invention was made to select polymer with T_a higher than 300K

and interfacial energy of at least 10 mJ/m^2 because Fryer illustrates T_g higher

than 300K for PMMA provides relief structure with low cost and excellent

uniformity and dimensional stability (page 5628).

Claim Rejections - 35 USC § 103

5. Claims 10, 25-27 are rejected under 35 U.S.C. 103(a) over Goff et al. (US

Patent No. 4,329,419) in view of Minamizaki (US Patent No. 6,030,662) as

applied to claim 1, in further view of Phillips et al. (US Patent No. 6,987,590).

Goff is silent about the process of managing light using polymeric relief structure. Phillips discloses optical structures that exhibit the effects of surface relief structures, such as holograms or diffractive gratings to form repetitive patterns (col.2, lines 31-61). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to form optical structures using the fabrication process employed by Goff because Phillips illustrates that optical structures using surface relief pattern provide several applications for surfaces embossed with holographic pattern which range from decorative packaging such gift wraps, to security documents such as bank notes and credit cards (col.1, lines 32-35).

Claim Rejections - 35 USC § 103

6. Claims 19 and 21 is rejected under 35 U.S.C. 103(a) over Goff et al. (US Patent No. 4,329,419) in view of Minamizaki (US Patent No. 6,030,662) as applied to claim 1 and 18, in further view of Bailey et al. (US Pub. No. 2005/0064344).

Goff is silent about the aspect ratio (AR) of the polymeric relief structure. However, Bailey discloses the aspect ratio of nanoscale relief structures in the range from about 0.1 to about 10 (paragraph 0023). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to select AR in the formation of relief structures employed by Goff because

Bailey illustrates that AR of nanostructures determine the ease and reliability of optical alignment techniques (paragraph 0020).

Allowable Subject Matter

7. Claims 20 and 22 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: The closest prior art of Goff et al. (US Patent No. 4,329,419) fails to disclose "polymeric structure with the maximum absolute value of the curvature ($|k_{max}|$) in the range of about 0.35-0.7 μ m⁻1"

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MAKI A. ANGADI whose telephone number is (571)272-8213. The examiner can normally be reached on 8 AM to 4.30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine G. Norton can be reached on 571-272-1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information

Application/Control Number: 10/589,531 Page 9

Art Unit: 1792

for published applications may be obtained from either Private PAIR or Public

PAIR. Status information for unpublished applications is available through

Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-

free). If you would like assistance from a USPTO Customer Service

Representative or access to the automated information system, call 800-786-

9199 (IN USA OR CANADA) or 571-272-1000.

/Maki A Angadi/

Examiner, Art Unit 1792

/Shamim Ahmed/

Primary Examiner, Art Unit 1792